



T-4 RADIO REMOTE CONTROL CONFIGURATION WORKSHEET

MODEL # _____ PROJECT: _____ DATE: _____

DEALER

COMPANY: _____
 CONTACT: _____
 PHONE: _____
 MOBILE: _____
 FAX: _____
 EMAIL: _____

OEM CUSTOMER

COMPANY: _____
 CONTACT: _____
 PHONE: _____
 MOBILE: _____
 FAX: _____
 EMAIL: _____

Description of Equipment:

Logic, Sequences, Special Functions:

MODEL SELECTION

RADIO CODE PACKAGE CODE

T **4**

RADIO CODE PACKAGE CODE

R

RADIO CODE	DESCRIPTION	RANGE	FREQUENCY	ACCEPTANCE
X	Standard	300-500'	915MHz, FHSS	USA/Canada
E	Extended	1,500'	915MHz, FHSS	USA/Canada
S	Special	1,500'	922MHz, FHSS	Australia/Isreal
Z	ZigBee	300-500'	2.4GHz	International
F	Fixed Frequency	100'	433MHz	USA/Europe

T-4 TRANSMITTER CONFIGURATION

Dropout operation (What should happen if the transmitter is out of range, or batteries die?)

E-Stop operation (What should happen when the E-Stop button is pressed?)

Faceplate color: _____

Customer Logo: None Engraved Color label

(High resolution graphics file required. TIFF or JPEG preferred)


Please select options:

Accessories: Arm strap Belt clip Waist strap


Guard rails: 2 x 3" rails on front face

Specify controls arrangement. Refer to controls template on following page. This diagram and controls template are to scale. Label functions clearly.

NOTE: Be sure to include toggle or rotary switch for transmitter power. Consult factory for other power on/off control options. LED for transmitter/battery status also recommended.



*Some layout restrictions apply.
Consult factory for specific requirements.*




Front face.


T-4 CONTROLS OPTIONS

PROPORTIONAL CONTROLS

SINGLE-FUNCTION
POTENTIOMETER




DUAL-FUNCTION
POTENTIOMETER




DIGITAL CONTROLS

PUSHBUTTON


SIDE
MOUNTED
(BLACK, RED, GREEN)



FACE
MOUNTED




MUSHROOM
E-STOP




TOGGLE SWITCHES


2-POS
MOMENTARY




2-POS
MAINTAINED




3-POS
MOMENTARY




3-POS
MAINTAINED




3-POS
MOM-MAINT




2-POS
KEYSWITCH



2 OR 3-POS
SELECTOR



3 TO 12-POS
SELECTOR



TOGGLE SWITCHES
MAY BE TURNED SIDEWAYS

INDICATORS/DISPLAYS

LED
(RED, GREEN, YELLOW, BLUE)



SOME LAYOUT RESTRICTIONS APPLY ON T-4 MODEL
CONSULT FACTORY

RECEIVER CONFIGURATION

Voltage 12 24 OTHER _____
 Engine Start No Yes _____ (Consult factory)
 Antenna type Internal Whip Rubber Duck (option)
 Antenna cable 17' Custom _____
 Receiver cable 6' pigtail Custom _____
(Consult factory for cable and connector options)

DIGITAL (RELAY)	PROPORTIONAL (PWM CURRENT)	RATIOMETRIC (DANFOSS PVG)	UNAMPLIFIED (SPECIFY RANGE)	OTHER (DESCRIBE)	NOTES:	OUTPUT LABEL
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____

Use additional sheets for receivers with more than 16 outputs.